




NO. 24 ANTHEUIL



VERSION 2






Cutting

On each pattern piece, you will find a capital letter. On the cutting layout plan, you will find the same capital letters so that you can easily see which pattern pieces to use for the view you have chosen.

YOU WILL NEED THE FOLLOWING PATTERN PIECES:

A, B, C, E






Sewing

NB! THE PATTERN HAS 1 CM SEAM ALLOWANCES INCLUDED UNLESS OTHERWISE NOTED.


1. Cut all your pieces in fabric and interfacing as needed. **!NOTE!** Cut Pattern piece (A) 1x on fold and cut (A) 2 x times, not on fold.
2. Press the interfacing to the waistband (E), and a piece of stay tape in the pocket opening on the front (A)



3. Overlock


-The slanted seams on the front and back (A)

-The longest on the side panel.






4. Place the side panel (B) on the slanted side on the front and on the back (A) with right sides together, and sew them together.



5. Press the seams open .


6. Place a pocket bag to the front, right sides together and sew the pocket opening. Under stitch the pocket bag.



7. Press the pocket bag to the wrong side of the fabric.

8. Fold the pocket bag, with right sides together in the fold line.


9. Sew the pocket bag together.






10. Overlock


- The pocket bag.
- Side seams, back and front.
- Centre back seams



11. Sew the side seams, right sides together. Press seams open.





12. Finish the seam of one side of the waistband. I do it with a bias tape alternatively you can overlock it.



13. Place the raw edge of the waistband, to the waist of the skirt, right sides together.

14. Sew the waistband to the skirt and press the seam upwards.






Sew the invisible zipper in. See a video

15. Place the right side of the zipper allonge the edge of the centre back. Place the first teeth of the zipper in the same height as the notch in the waistband.


16. Base stitch the zipper to the skirt

17. Flip the teeth of the zipper aside and sew the zipper in place.




18. Sew the centre back seam below the zipper.

19. Press seam open and press gently on the zipper.




20. Open the zipper and fold the waistband around the zipper. Stitch as close as possible to the zipper as possible, sandwiched between the skirt and waistband, making sure to catch the extra zipper in the seam.





21. Turn the waistband to the right side, so the zipper is placed in between the layers of the folded waistband.

22. Finish the waistband by stitching in the ditch from the right side of the skirt.



23. Hem the skirt with a narrow hem by folding 0.5 cm X 0.5 cm see how-to honline

